






Company Introduction:


Zhuzhou Kimberly Carbide Co.,Ltd established in 2008, located in Zhuzhou, Hunan China. Our main products are different carbide buttons and mining bits. Our products quality is improved year by year, Now our products are very popular and acceptable in China and many other foreign countries, including USA, Italy, Russia, India, UAE. We will try our best to meet your requirement and hope cooperate with you to get more market.


冷压四齿型钎头 Cold Press 4teeth	钎头直径 Diam	合金Button Size(mm)		锥角×内径	
		Front	Gauge	Taper×diam	
	mm				
	30	4×7		7°×20mm	
	32	4×7		7°×22mm	11°×22mm
	34	1×7	3×8	7°×22mm	11°×22mm
	36	1×7	3×8	7°×22mm	11°×22mm
	38	1×9	3×9	7°×22mm	11°×22mm
	40	1×9	3×9	7°×22mm	11°×22mm
	42	1×9	3×9	7°×22mm	11°×22mm


冷压五齿型钎头 Cold Press 5teeth	钎头直径 Diam	合金Button Size(mm)		锥角×内径	
		Front	Gauge	Taper×diam	
	mm				
	32	5×7		7°×22mm	11°×22mm
	34	5×7		7°×22mm	11°×22mm
	36	2×7	3×8	7°×22mm	11°×22mm
	38	2×8	3×9	7°×22mm	11°×22mm
	40	2×8	3×9	7°×22mm	11°×22mm
	42	2×8	3×9	7°×22mm	11°×22mm

冷压六齿型钎头 Cold Press 6teeth	钎头直径 Diam	合金Button Size(mm)		锥角×内径	
		Front	Gauge	Taper×diam	
	mm				
	32	6×7		7°×22mm	11°×22mm
	34	6×7		7°×22mm	11°×22mm
	36	2×7	4×8	7°×22mm	11°×22mm
	38	2×7	4×8	7°×22mm	11°×22mm
	40	6×8		7°×22mm	11°×22mm
	42	2×8	4×9	7°×22mm	11°×22mm




冷压七齿型钎头 Cold Press 7teeth	钎头直径Diam mm	合金Button Size(mm)		锥角×内径	
		Front	Gauge	Taper×diam	
	32	7×7		7°×22mm	11°×22mm
	34	7×7		7°×22mm	11°×22mm
	36	7×7		7°×22mm	11°×22mm
	38	7×7		7°×22mm	11°×22mm
	40	2×7	5×8	7°×22mm	11°×22mm
	42	7×8		7°×22mm	11°×22mm


冷压八齿型钎头 Cold Press 8teeth	钎头直径Diam mm	合金Button Size(mm)		锥角×内径	
		Front	Gauge	Taper×diam	
	32	8×6.5		7°×22mm	11°×22mm
	34	8×7		7°×22mm	11°×22mm
	36	8×7		7°×22mm	11°×22mm
	38	8×7		7°×22mm	11°×22mm
	40	2×7	6×8	7°×22mm	11°×22mm
	42	8×8		7°×22mm	11°×22mm


焊接四齿型钎头 Brazed 4teeth	钎头直径Diam mm	合金Button Size(mm)		锥角×内径
		Front	Gauge	Taper×diam
	30	1×7	3×7.5	7°×20mm
	32	4×7.5		7°×22mm
	34	4×7.5		7°×22mm
	36	1×7.5	3×8.5	7°×22mm
	38	1×8.5	3×9.5	7°×22mm
	40	1×8.5	3×9.5	7°×22mm
	40	1×9	3×10	7°×22mm
	42	1×8.5	3×9.5	7°×22mm
	42	1×9	3×10	7°×22mm





焊接五齿型钎头 Brazed 5teeth	钎头直径Diam	合金Button Size(mm)		锥角×内径
	mm	Front	Gauge	Taper×diam
	38	2×8.5	3×9.5	7°×22mm
	40	2×8.5	3×9.5	7°×22mm
	42	2×9	3×10	7°×22mm
	50	2×9	3×10	7°×22mm


焊接六齿型钎头 Brazed 6teeth	钎头直径Diam	合金Button Size(mm)		锥角×内径
	mm	Front	Gauge	Taper×diam
	38	2×8.5	4×9.5	7°×22mm
	40	2×8.5	4×9.5	7°×22mm
	42	2×8.5	4×9.5	7°×22mm

马蹄型一字钎头 Horseshoe Bit	钎头直径Diam	合金规格 Tip size 厚×高 W×H	锥角×内径 Taper×diam
		28	7×10.8
	30	7.2×11	7°×20mm
	32	7.5×12	7°×22mm
	34	7.5×12	7°×22mm
	36	8×12.5	7°×22mm
	38	9×13	7°×22mm
	38	10×13	7°×22mm
	40	9×13	7°×22mm
	40	10×13	7°×22mm
	42	9×13	7°×22mm
	42	10×13	7°×22mm
	46	9×13	7°×22mm
	50	9×13	7°×22mm
	60	9×13	7°×22mm





十字型钎头 Cross Bit	钎头直 径Diam	合金规格 Tip size		锥角×内径 Taper×diam
		厚×高	W×H	
	32	7×10.5		7°×22mm
	34	7×10.5		7°×22mm
	36	7×11		7°×22mm
	38	7×11		7°×22mm
	40	7.5×11.5		7°×22mm
	42	7.5×11.5		7°×22mm
	46	8×12		7°×22mm
	50	8×12		7°×22mm
	60	8×12		7°×22mm

长柄型一字钎头 Long shank chisel bit	钎头直 径Diam	合金规格 Tip size		锥角×长度
		厚×高	W×H	Taper×length
	20	6×10.5		7°×60mm
	20	6×10.5		7°×130mm
	20	6×10.5		7°×160mm
	24	6×11		7°×130mm
	24	6×11		7°×160mm
	24	6×11		7°×180mm
	24	6×11		7°×180mm

